

4210.100 COOL-Paste

Version	Revision Date:	Date of last issue: 17.04.2019	Print Date:
2.0	28.05.2020	Date of first issue: 19.10.2018	09.01.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : COOL-Paste

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Processing aid

Recommended restrictions
on use : Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : Bullnheimer & Co. GmbH & Co. GmbH
Im Tal 12
D-86179 Augsburg
Tel.: +49 821 80850 0
Fax.: +49 821 80850 90

E-mail address of person
responsible for the SDS : info@bullnheimer.de
National contact :

1.4 Emergency telephone number


Emergency telephone num-
ber : +49 821 80850 0 Only office hours: Mo. – Do. 08:00 – 16:00 , Fr.
08:00 – 13:00 Uhr.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

2.2 Label elements Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms : 

Signal word : Warning

4210.100 COOL-Paste

Version	Revision Date:	Date of last issue: 17.04.2019	Print Date:
2.0	28.05.2020	Date of first issue: 19.10.2018	09.01.2021

Hazard statements : H317 May cause an allergic skin reaction.

Precautionary statements :

Prevention:

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Hazardous components which must be listed on the label:

2-methylisothiazol-3(2H)-one

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration limits M-Factor Notes	Concentration (% w/w)
dodecylguanidine monohydrochloride	13590-97-1 237-030-0	Acute Tox.4; H302 Acute Tox.2; H330 Skin Corr.1B; H314 Eye Dam.1; H318 Aquatic Acute1; H400	M-Factor: 10/	>= 0,0025 - < 0,025

4210.100 COOL-Paste

Version Revision Date: Date of last issue: 17.04.2019 Print Date:
2.0 28.05.2020 Date of first issue: 19.10.2018 09.01.2021

2-methylisothiazol-3(2H)-one	2682-20-4 220-239-6 613-326-00-9	Acute Tox.1; H301 Acute Tox.2; H330 Acute Tox.3; H311 Skin Corr.1B; H314 Eye Dam.1; H318 Skin Sens.1A; H317 STOT SE3; H335	>= 0,0015 % Skin Sens.1A, H317 M-Factor: 10/1	>= 0,0025 - < 0,025
		Aquatic Acute1; H400 Aquatic Chronic1; H410		
Substances with a workplace exposure limit :				
Polyethylene glycol #1200	25322-68-3 500-038-2	Not classified		>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
If breathing is irregular or stopped, administer artificial respiration.

¹ .2 Mixtures

Chemical nature : Preservatives

Components

4210.100 COOL-Paste

Version	Revision Date:	Date of last issue: 17.04.2019	Print Date:
2.0	28.05.2020	Date of first issue: 19.10.2018	09.01.2021

- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with soap and plenty of water. Get medical attention immediately if irritation develops and persists.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
Do not induce vomiting without medical advice.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Allergic appearance
- Risks : May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Fire may cause evolution of:
Carbon oxides

4210.100 COOL-Paste

Version	Revision Date:	Date of last issue: 17.04.2019	Print Date:
2.0	28.05.2020	Date of first issue: 19.10.2018	09.01.2021

5.3 Advice for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.
Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).
Do not breathe vapours, aerosols.
Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum.
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

4210.100 COOL-Paste

Version	Revision Date:	Date of last issue: 17.04.2019	Print Date:
2.0	28.05.2020	Date of first issue: 19.10.2018	09.01.2021

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.
For personal protection see section 8.
Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Smoking, eating and drinking should be prohibited in the application area.
Wash hands and face before breaks and immediately after handling the product.
Do not get in eyes or mouth or on skin.
Do not get on skin or clothing.
Do not ingest.
Do not repack.
These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

Storage class (TRGS 510) : 13, Non Combustible Solids

7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis

4210.100 COOL-Paste

Version Revision Date: Date of last issue: 17.04.2019 Print Date:
2.0 28.05.2020 Date of first issue: 19.10.2018 09.01.2021

Polyethylene glycol #1200	25322-68-3	AGW (Inhalable fraction)	1.000 mg/m3	DE TRGS 900 (2008-06-01)
Peak-limit: excursion factor (category)	8;(II)			
Further information	Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
		AGW (Inhalable fraction)	1.000 mg/m3	DE TRGS 900 (2008-06-01)
Peak-limit: excursion factor (category)	8;(II)			
Further information	Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Polyethylene glycol #1200	Workers	Inhalation	Long-term systemic effects	117,544 mg/m3
	Workers	Skin contact	Long-term systemic effects	66,667 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Polyethylene glycol #1200	Fresh water	0,016 mg/l
	Marine water	0,002 mg/l
	Soil	4,423 mg/kg
	Fresh water sediment	15,91 mg/kg
	Marine sediment	15,91 mg/kg
	Sewage treatment plant	77,063 mg/l

8.2 Exposure controls Engineering measures none Personal protective equipment

Eye protection : Tightly fitting safety goggles

Hand protection

Material : butyl-rubber
Break through time : > 10 min
Protective index : Class 1

4210.100 COOL-Paste

Version	Revision Date:	Date of last issue: 17.04.2019	Print Date:
2.0	28.05.2020	Date of first issue: 19.10.2018	09.01.2021

Remarks : For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: paste
Colour	: brown
Odour	: odourless
Odour Threshold	: No data available
pH	: Not applicable
	: not determined
Boiling point/boiling range	: No data available
Flash point	: Not applicable

4210.100 COOL-Paste

Version	Revision Date:	Date of last issue: 17.04.2019	Print Date:
2.0	28.05.2020	Date of first issue: 19.10.2018	09.01.2021

Evaporation rate : No data available

Flammability (solid, gas) : Will not burn

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative vapour density : No data available

Density : 1,09 g/cm³
(20 °C)

Bulk density : No data available

Solubility(ies)
Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient:
noctanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : No data available

9.2 Other information
Sublimation point : No data available

4210.100 COOL-Paste

Version	Revision Date:	Date of last issue: 17.04.2019	Print Date:
2.0	28.05.2020	Date of first issue: 19.10.2018	09.01.2021

Metal corrosion rate : Not corrosive to metals

Self-ignition : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects Acute

toxicity

Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Symptoms: Redness, Local irritation

Components:

dodecylguanidine monohydrochloride:

4210.100 COOL-Paste

Version	Revision Date:	Date of last issue: 17.04.2019	Print Date:
2.0	28.05.2020	Date of first issue: 19.10.2018	09.01.2021

Acute oral toxicity : LD50 (Rat): Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat): Test atmosphere: dust/mist
Assessment: The component/mixture is highly toxic after short term inhalation.

2-methylisothiazol-3(2H)-one:

Acute oral toxicity : LD50 Oral (Rat): > 50 mg/kg

Symptoms: Pain, Stomach/intestinal disorders

Remarks: Toxic if swallowed.

Acute inhalation toxicity : LC50 (Rat): 0,11 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Remarks: Risk of delayed pulmonary oedema.
Effects of breathing high concentrations of vapour may include:
Very toxic by inhalation.
Irritating to respiratory system.

Symptoms: Local irritation, Respiratory disorders, Inhalation may provoke the following symptoms:

Acute dermal toxicity : LD50 Dermal (Rabbit, female): 326 mg/kg

Remarks: Very toxic in contact with skin.

Symptoms: Blistering, Redness, Local irritation

Polyethylene glycol #1200:

Acute oral toxicity : LD50 (Rat): > 15.000 mg/kg

Skin corrosion/irritation

Product:

Remarks : This information is not available.

Components:

4210.100 COOL-Paste

Version	Revision Date:	Date of last issue: 17.04.2019	Print Date:
2.0	28.05.2020	Date of first issue: 19.10.2018	09.01.2021

dodecylguanidine monohydrochloride:

Assessment : Causes burns.
Result : Causes burns.

2-methylisothiazol-3(2H)-one:

Species : Rabbit
Result : Causes burns.

Remarks : Causes skin burns.

Polyethylene glycol #1200:

Assessment : No skin irritation
Result : No skin irritation

Serious eye damage/eye irritation

Product:

Remarks : This information is not available.

Components:

2-methylisothiazol-3(2H)-one:

Remarks : Acute eye irritation/corrosion
Causes eye burns.

Polyethylene glycol #1200:

Assessment : No eye irritation
Result : No eye irritation

Respiratory or skin sensitisation

Product:

Remarks : This information is not available.

Components:

2-methylisothiazol-3(2H)-one:

Species : Rabbit
Assessment : May cause sensitisation by skin contact.

Polyethylene glycol #1200:

Assessment : Does not cause skin sensitisation.

4210.100 COOL-Paste

Version	Revision Date:	Date of last issue: 17.04.2019	Print Date:
2.0	28.05.2020	Date of first issue: 19.10.2018	09.01.2021

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Product:

Remarks : No data available

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

STOT - single exposure

Components:

2-methylisothiazol-3(2H)-one:

Assessment : May cause respiratory irritation.

Polyethylene glycol #1200:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Components:

Polyethylene glycol #1200:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Remarks : This information is not available.

4210.100 COOL-Paste

Version	Revision Date:	Date of last issue: 17.04.2019	Print Date:
2.0	28.05.2020	Date of first issue: 19.10.2018	09.01.2021

Aspiration toxicity

Product:

This information is not available.

Components:

Polyethylene glycol #1200:

No aspiration toxicity classification

Further information

Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

Components:

2-methylisothiazol-3(2H)-one:

Remarks : Ingestion causes burns of the upper digestive and respiratory tracts.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Components:

dodecylguanidine monohydrochloride: M-

Factor (Acute aquatic toxicity) : 10

4210.100 COOL-Paste

Version	Revision Date:	Date of last issue: 17.04.2019	Print Date:
2.0	28.05.2020	Date of first issue: 19.10.2018	09.01.2021

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

2-methylisothiazol-3(2H)-one:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,85 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (green algae)): 0,072 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 1

Polyethylene glycol #1200:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l
Exposure time: 96 h

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

Components:

2-methylisothiazol-3(2H)-one:

Biodegradability : Result: Readily biodegradable.

Polyethylene glycol #1200:

Biodegradability : Result: rapidly biodegradable

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).

4210.100 COOL-Paste

Version	Revision Date:	Date of last issue: 17.04.2019	Print Date:
2.0	28.05.2020	Date of first issue: 19.10.2018	09.01.2021

This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

Components:

2-methylisothiazol-3(2H)-one:

Partition coefficient: n- : log Pow: -0,486
octanol/water

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among environ- : Remarks: No data available
mental compartments

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

Components:

Polyethylene glycol #1200:

Assessment : Non-classified PBT substance. Non-classified vPvB sub
stance.

12.6 Other adverse effects

Product:

Additional ecological infor- : No information on ecology is available. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not dispose of with domestic refuse.

4210.100 COOL-Paste

Version	Revision Date:	Date of last issue: 17.04.2019	Print Date:
2.0	28.05.2020	Date of first issue: 19.10.2018	09.01.2021

Dispose of as hazardous waste in compliance with local and national regulations.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:

SECTION 14: Transport information 14.1

UN number

ADR : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADR : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADR : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) 14.5 : Not regulated as a dangerous good

Environmental hazards

ADR : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

4210.100 COOL-Paste

Version	Revision Date:	Date of last issue: 17.04.2019	Print Date:
2.0	28.05.2020	Date of first issue: 19.10.2018	09.01.2021

IATA (Cargo) : Not regulated as a dangerous good

14.6 Special precautions for user Not applicable
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.
Not applicable

Water contaminating class (Germany) : WGK 1 slightly hazardous to water
Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) : Total dust:
others: 1,61 %

Inorganic substances in powdered form:
Not applicable

4210.100 COOL-Paste

Version	Revision Date:	Date of last issue: 17.04.2019	Print Date:
2.0	28.05.2020	Date of first issue: 19.10.2018	09.01.2021

Inorganic substances in vapour or gaseous form: Not applicable

Organic Substances:
portion Class 1: 0,02 %
others: 2,7 %

Carcinogenic substances:

Not applicable

Mutagenic:

Not applicable

Toxic to reproduction:

Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Not applicable

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment This

information is not available.

SECTION 16: Other information

Full text of H-Statements

H301 : Toxic if swallowed.
H302 : Harmful if swallowed.
H311 : Toxic in contact with skin.
H314 : Causes severe skin burns and eye damage.
H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H330 : Fatal if inhaled.
H335 : May cause respiratory irritation.
H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

4210.100 COOL-Paste

Version	Revision Date:	Date of last issue: 17.04.2019	Print Date:
2.0	28.05.2020	Date of first issue: 19.10.2018	09.01.2021

DE TRGS 900 : Germany, TRGS 900 - Occupational exposure limit values. DE TRGS
900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Skin Sens. 1 H317

Classification procedure:

Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data

4210.100 COOL-Paste

Version	Revision Date:	Date of last issue: 17.04.2019	Print Date:
2.0	28.05.2020	Date of first issue: 19.10.2018	09.01.2021

sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.