

Printing date 03.05.2023 Version number 38 (replaces version 37) Revision: 03.05.2023

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: Vido Profi Silber Hochglanzbad

· Article number: 155878

· Relevant identified uses of the substance or mixture and uses advised against

· Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

· Application of the substance / the mixture Cleaning material/ Detergent

Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Vido Steinchemie GmbH Heinrich-Barth-Str. 29 53881 Euskirchen Deutschland

Tel: +49 2251 79336-12 Fax: +49 2251 79336-13 Email: info@vido.de

- · Further information obtainable from: Department product safety
- · Emergency telephone number: +49-(0)551-19240 Giftnotrufzentrale Göttingen

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



health hazard

Carc. 2 H351 Suspected of causing cancer.

Repr. 2 H361d Suspected of damaging the unborn child.



Eye Dam. 1 H318 Causes serious eye damage.



Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)



Version number 38 (replaces version 37) Revision: 03.05.2023 Printing date 03.05.2023

Trade name: Vido Profi Silber Hochglanzbad

(Contd. of page 1)

· Hazard pictograms









GHS05

GHS07

· Signal word Danger

· Hazard-determining components of labelling:

Alcohols, C9-11-iso-, C10-rich, ethoxylated

thiourea

dodecane-1-thiol

Alkohols C13-iso, ethoxylated

isoeugenol

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H361d Suspected of damaging the unborn child.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P362+P364 Take off contaminated clothing and wash it before reuse. P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dange	rous co	mponents:
---------	---------	-----------

CAS: 78330-20-8 Alcohols, C9-11-iso-, C10-rich, ethoxylated ≥3-<10% Reg.nr.: Polymer 🔷 Eye Dam. 1, H318; 🕩 Acute Tox. 4, H302

(Contd. on page 3)



Printing date 03.05.2023 Version number 38 (replaces version 37) Revision: 03.05.2023

Trade name: Vido Profi Silber Hochglanzbad

		Contd. of page
CAS: 62-56-6 EINECS: 200-543-5 Reg.nr.: 01-2119977062-37	thiourea Carc. 2, H351; Repr. 2, H361d; Aquatic Chronic 2, H411; Acute Tox. 4, H302	<i>≥3</i> -<10%
CAS: 7664-38-2 EINECS: 231-633-2 Reg.nr.: 01-2119485924-24	phosphoric acid Skin Corr. 1B, H314 Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 %	≥2.5-<10%
CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25	propan-2-ol Flam. Liq. 2, H225; \$\frac{1}{2}\$ Eye Irrit. 2, H319; STOT SE 3, H336	≥2.5-<10%
CAS: 9043-30-5 Polymer Reg.nr.: Polymer	Alkohols C13-iso, ethoxylated ♦ Eye Dam. 1, H318; ♦ Acute Tox. 4, H302	≥1-<2.5%
CAS: 112-55-0 EINECS: 203-984-1 Reg.nr.: 01-2119491318-31	dodecane-1-thiol Skin Corr. 1C, H314; Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10); ↑ Skin Sens. 1A, H317	≥1-<2.5%
CAS: 97-54-1 EINECS: 202-590-7	isoeugenol ↑ Acute Tox. 4, H302; Skin Sens. 1A, H317 Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.01 %	<0.01%
Regulation (EC) No 648/20	04 on detergents / Labelling for contents	
non-ionic surfactants		≥5 - <15%
phosphates		<5%
	AL, LINALOOL, BUTYLPHENYL METHYLPROPIONAL, BENZYL OL, CINNAMYL ALCOHOL, GERANIOL)	
Additional information: For	the wording of the listed hazard phrases refer to section 16.	

4 First aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 4)



Printing date 03.05.2023 Version number 38 (replaces version 37) Revision: 03.05.2023

Trade name: Vido Profi Silber Hochglanzbad

(Contd. of page 3)

- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 12
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 7664-38-2 phosphoric acid

WEL Short-term value: 2 mg/m³

Long-term value: 1 mg/m³

CAS: 67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

(Contd. on page 5)



Printing date 03.05.2023 Version number 38 (replaces version 37) Revision: 03.05.2023

Trade name: Vido Profi Silber Hochglanzbad

(Contd. of page 4)

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Hand protection



Protective gloves

Suitable chemical resistent protective gloves (EN374) also at prolonged, direct contact (recommended protection index 6, corresponding 480 minutes permeation time according to EN 374) e.g. from Nitrilkautschuk (0,33-0,5 mm) Polyvinylchlorid (1mm).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:
Fluid
Colourless
Alcohol-like
Not determined.
Undetermined.

· Boiling point or initial boiling point and boiling

range 100 °C (CAS: 7732-18-5 water, distilled, conductivity or of similar purity)

• Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.
Decomposition temperature: Not determined.

· pH at 20 °C 1.3

(Contd. on page 6)



Version number 38 (replaces version 37) Revision: 03.05.2023 Printing date 03.05.2023

Trade name: Vido Profi Silber Hochglanzbad

(Contd. of page 5)

٠	Viscosity:	
---	------------	--

· Kinematic viscosity Not determined. · Dynamic: Not determined.

·Solubility

· water: Fully miscible. Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20 °C: 23 hPa (CAS: 7732-18-5 water, distilled, conductivity or

of similar purity)

· Density and/or relative density

· Density at 20 °C: 1.03 g/cm3 · Relative density Not determined. Not determined. · Vapour density

· Other information

· Appearance:

· Form: Fluid

· Important information on protection of health and

environment, and on safety.

Product is not selfigniting. · Ignition temperature:

Product does not present an explosion hazard. · Explosive properties:

· Solvent content:

3.0 % · Organic solvents: 3.02 % · VOC (EC) 23.2 % · Solids content:

· Change in condition

Not determined. · Evaporation rate

· Information with regard to physical hazard classes

Void · Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable Void gases in contact with water · Oxidising liquids Void · Oxidising solids Void Void · Organic peroxides Void · Corrosive to metals Void

10 Stability and reactivity

· Desensitised explosives

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.

(Contd. on page 7)



Printing date 03.05.2023 Version number 38 (replaces version 37) Revision: 03.05.2023

Trade name: Vido Profi Silber Hochglanzbad

(Contd. of page 6)

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	values rele	vant for classification:
ATE (Acu	te Toxicity	Estimates)
Oral	LD50	4,032–4,143 mg/kg
CAS: 62-5	6-6 thiour	ea
Oral	LD50	2,000–2,500 mg/kg (rat)
Dermal	LD50	2,800 mg/kg (rabbit)
CAS: 67-6	3-0 propar	n-2-ol
Oral	LD50	5,045 mg/kg (rat)
Dermal	LD50	12,800 mg/kg (rabbit)
Inhalative	LC50/4 h	30 mg/l (rat)
CAS: 97-5	4-1 isoeug	enol
Oral	LD50	1,560 mg/kg (rat)

· Skin corrosion/irritation

In-vitro-test "corrosive": negative for comparable Product.

Causes skin irritation.

- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Carcinogenicity Suspected of causing cancer.
- Reproductive toxicity Suspected of damaging the unborn child.
- · Information on other hazards

· Endocrine disrup	ting properties	
CAS: 80-54-6	p-t-Butyl-alpha-methylhydrocinnamic aldehyde	List II
CAS: 118-58-1	benzyl salicylate	List II
CAS: 21145-77-7	6-Acetyl-1,1,2,4,4,7-hexamethyltetraline	List II

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability

The surfactants contained in the product correspond to the legislation on the environmental compatibility of detergents and are biodegradable.

- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · Other adverse effects
- · Remark: Toxic for fish

(Contd. on page 8)



Printing date 03.05.2023 Version number 38 (replaces version 37) Revision: 03.05.2023

Trade name: Vido Profi Silber Hochglanzbad

(Contd. of page 7)

- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

UN number or ID number		
ADR, IMDG, IATA	no dangerous good	
UN proper shipping name ADR, IMDG, IATA	no dangerous good	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA	,	
Class	no dangerous good	
Packing group ADR, IMDG, IATA	no dangerous good	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Maritime transport in bulk according	to IMO	
instruments	Not applicable.	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Proposition 65
- · Chemicals known to cause cancer:

CAS: 62-56-6 thiourea

(Contd. on page 9)



Printing date 03.05.2023 Version number 38 (replaces version 37) Revision: 03.05.2023

Trade name: Vido Profi Silber Hochglanzbad

(Contd. of page 8)

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms









GHS05 G

GHS07

GHS08 C

· Signal word Danger

· Hazard-determining components of labelling:

Alcohols, C9-11-iso-, C10-rich, ethoxylated

thiourea

dodecane-1-thiol

Alkohols C13-iso, ethoxylated

isoeugenol

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H361d Suspected of damaging the unborn child.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P362+P364 Take off contaminated clothing and wash it before reuse.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

GB



Version number 38 (replaces version 37) Revision: 03.05.2023 Printing date 03.05.2023

Trade name: Vido Profi Silber Hochglanzbad

(Contd. of page 9)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H225 Highly flammable liquid and vapour.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- H351 Suspected of causing cancer.
- H361d Suspected of damaging the unborn child.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids - Category 2

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Corr. 1C: Skin corrosion/irritation - Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Carc. 2: Carcinogenicity – Category 2 Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category I

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 * * Data compared to the previous version altered.