

Printing date 22.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: Wilaplat Hartglanzvergoldung gelb cyanidhaltig 1g Au/l, Wilaplat Hartglanzvergoldung rötlich, cyanidhaltig 1g Au/l WILAPLAT hard bright gold plating bath yellow gold (making-up salt), WILAPLAT hard bright gold plating bath reddish gold (making-up salt),

- · Article number: 3100102003, 3100102403
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- \cdot Application of the substance / the mixture Galvanic bath
- 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Wieland Edelmetalle GmbH Schwenninger Str. 13 75179 Pforzheim Telefon +49 (07231)-1393-0, Telefax +49 (07231)-1393-100
- Further information obtainable from: Wieland Edelmetalle GmbH www.wieland-edelmetalle.de msds@wieland-edelmetalle.de
- **1.4 Emergency telephone number:** Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

skull and crossbones

• •	
Acute Tox. 2	H300 Fatal if swallowed.
Acute Tox. 1	H310 Fatal in contact with skin.
Acute Tox. 2	H330 Fatal if inhaled.

health hazard

Resp. Sens. 1	H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Carc. 1B	H350 May cause cancer.
STOT RE 1	H372 Causes damage to organs through prolonged or repeated exposure.

corrosion

Eye Dam. 1 H318 Causes serious eye damage.

environment

.

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 2)

GB



Version number 5 (replaces version 4)

Printing date 22.03.2023 Trade name: Wilaplat Hartglanzvergoldung gelb cyanidhaltig 1g Au/l, Wilaplat Hartglanzvergoldung rötlich, cyanidhaltig 1g Au/l WILAPLAT hard bright gold plating bath yellow gold (making-up salt), WILAPLAT hard bright gold plating bath reddish gold (making-up salt), (Contd. of page 1) Skin Irrit. 2 H315 Causes skin irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. · Hazard pictograms GHS05 GHS06 GHS08 GHS09 · Signal word Danger · Hazard-determining components of labelling: potassium cyanide potassium dicyanoaurate nickel potassium cyanide copper cyanide · Hazard statements H300+H310+H330 Fatal if swallowed, in contact with skin or if inhaled. Causes skin irritation. H315 H318 Causes serious eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. H334 May cause an allergic skin reaction. H317 H350 May cause cancer. Causes damage to organs through prolonged or repeated exposure. H372 H410 Very toxic to aquatic life with long lasting effects. · Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P301+P310 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Additional information: EUH032 Contact with acids liberates very toxic gas. · 2.3 Other hazards · Results of PBT and vPvB assessment • **PBT:** Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)



Printing date 22.03.2023

Safety data sheet according to 1907/2006/EC, Article 31

Version number 5 (replaces version 4)

Trade name: Wilaplat Hartglanzvergoldung gelb cyanidhaltig 1g Au/l, Wilaplat Hartglanzvergoldung rötlich, cyanidhaltig 1g Au/l WILAPLAT hard bright gold plating bath yellow gold (making-up salt), WILAPLAT hard

bright gold plating bath reddish gold (making-up salt),

ents:	ntd. of page 2
tripotassium phosphate Skin Irrit. 2, H315; Eye Irrit. 2, H319	50-100%
potassium cyanide Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330; STOT RE 1, H372; Met. Corr.1, H290; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Eye Irrit. 2, H319, EUH032	10-25%
potassium dicyanoaurate Acute Tox. 2, H300; Acute Tox. 2, H330; Acute Tox. 2, H300; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317, EUH032	5-10%
copper cyanide Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330; Aquatic Acute 1, H400; Aquatic Chronic 1, H410, EUH032	0.2-5%
nickel potassium cyanide Water-react. 1, H260; Acute Tox. 3, H301; Resp. Sens. 1, H334; Carc. 1B, H350; Skin Sens. 1, H317, EUH029	0.2-5%
potassium dicyanoargentate Acute Tox. 1, H300; Acute Tox. 1, H310; Acute Tox. 1, H330; Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410, EUH032	≤1%
	ents: tripotassium phosphate ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319 potassium cyanide ♦ Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330; ♦ STOT RE 1, H372; ♦ Met. Corr.1, H290; ♠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319, EUH032 potassium dicyanoaurate ♦ Acute Tox. 2, H300; Acute Tox. 2, H330; ♦ Met. Corr.1, H290; Eye Dam. 1, H318; ♠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ♦ Skin Irrit. 2, H315; Skin Sens. 1, H317, EUH032 copper cyanide ♦ Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330; ♦ Aquatic Acute 1, H400; Aquatic Chronic 1, H410, EUH032 nickel potassium cyanide ♦ Water-react. 1, H260; ♦ Acute Tox. 3, H301; ♦ Resp. Sens. 1, H334; Carc. 1B, H350; ♦ Skin Sens. 1, H317, EUH029 potassium dicyanoargentate ♦ Acute Tox. 1, H300; Acute Tox. 1, H310; Acute Tox. 1, H330; ♦ Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318; ♠ Aquatic Acute 1,

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

Do not use mouth to mouth or mouth to nose resuscitation.

- Use a respiratory bag or breathing device.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing:
- Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

Nausea

Unconsciousness

Breathing difficulty

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 4)



Printing date 22.03.2023 Ve

Version number 5 (replaces version 4)

Trade name: Wilaplat Hartglanzvergoldung gelb cyanidhaltig 1g Au/l, Wilaplat Hartglanzvergoldung rötlich, cyanidhaltig 1g Au/l

WILAPLAT hard bright gold plating bath yellow gold (making-up salt), WILAPLAT hard bright gold plating bath reddish gold (making-up salt),

(Contd. of page 3)

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released:
- Hydrogen cyanide (HCN)
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Avoid formation of dust.

Wear protective equipment. Keep unprotected persons away.

• 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

Pick up mechanically.

• 6.4 Reference to other sections See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

· Information about fire - and explosion protection: Keep respiratory protective device available.

·7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Do not store together with acids.

· Further information about storage conditions:

Store under lock and key and with access restricted to technical experts or their assistants only. Keep receptacle tightly sealed.

• Storage class: 6.1 B

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Ingredients with limit values that require monitoring at the workplace: Not required.

151-50-8 potassium cyanide

WEL Short-term value: 5 mg/m³ Long-term value: 1 mg/m³ Sk, as CN

(Contd. on page 5)

GB



Printing date 22.03.2023

Version number 5 (replaces version 4)

Trade name: Wilaplat Hartglanzvergoldung gelb cyanidhaltig 1g Au/l, Wilaplat Hartglanzvergoldung rötlich, cyanidhaltig 1g Au/l WILAPLAT hard bright gold plating bath yellow gold (making-up salt), WILAPLAT hard

(Contd. of page 4)

13967-50-5 potassium dicyanoaurate

WEL Long-term value: 5 mg/m³

as CN; Sk

544-92-3 copper cyanide

WEL Long-term value: 5 mg/m³

as CN; Sk

14220-17-8 nickel potassium cyanide

WEL Long-term value: 0.1 mg/m³

as Ni; Sk; Carc; Sen

Additional information: The lists valid during the making were used as basis.

bright gold plating bath reddish gold (making-up salt),

· 8.2 Exposure controls

- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Short term filter device:

Filter P3

Filter P2

Hand protection

Plastic gloves



Protective gloves

· Material of gloves

Chloroprene rubber, CR Nitrile rubber, NBR Butyl rubber, BR Natural rubber, NR Fluorocarbon rubber (Viton)

Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Value for the permeation: Level ≤ 6

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Not suitable are gloves made of the following materials:

Leather gloves Strong material gloves

(Contd. on page 6)

GB –



Printing date 22.03.2023

Version number 5 (replaces version 4)

Trade name: Wilaplat Hartglanzvergoldung gelb cyanidhaltig 1g Au/l, Wilaplat Hartglanzvergoldung rötlich, cyanidhaltig 1g Au/l WILAPLAT hard bright gold plating bath yellow gold (making-up salt), WILAPLAT hard

bright gold plating bath reddish gold (making-up salt),

(Contd. of page 5)

· Eye/face protection



*

Tightly sealed goggles

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

•9.1 Information on basic physical and chemical pr	operties
· General Information	
· Colour:	Various colours
· Odour:	Characteristic
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling	
range	Undetermined.
· Flash point:	Not applicable.
· pH	Not applicable.
· Viscosity:	rot approacte.
· Dynamic:	Not applicable.
· Solubility	rot approacte.
· water at 20 °C:	ca. 220 g/l
· Vapour pressure:	Not applicable.
· Density and/or relative density	The approaches
· Density at 20 °C:	1.24 g/cm ³
· Bulk density:	750 kg/m ³
•	
9.2 Other information	
· Appearance:	
· Form:	Solid
· Important information on protection of health and	1
environment, and on safety.	
· Auto-ignition temperature:	Product is not selfigniting.
• Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· Solids content:	100.0 %
· Information with regard to physical hazard classe	s
·Explosives	Void
· Flammable gases	Void
·Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
• Substances and mixtures, which emit flammable	
gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
	(Contd. on page 7



Printing date 22.03.2023

Safety data sheet according to 1907/2006/EC, Article 31

Version number 5 (replaces version 4)

Trade name: Wilaplat Hartglanzvergoldung gelb cyanidhaltig 1g Au/l, Wilaplat Hartglanzvergoldung rötlich, cyanidhaltig 1g Au/l WILAPLAT hard bright gold plating bath yellow gold (making-up salt), WILAPLAT hard

bright gold plating bath reddish gold (making-up sait), willAPLAT na

(Contd. of page 6)

		(10)
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions Contact with acids releases toxic gases.
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products: Hydrogen cyanide (prussic acid)

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity

Fatal if swallowed, in contact with skin or if inhaled.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)		
Oral	LD50	19.9 mg/kg
	LD50	17.3 mg/kg
Inhalative	LC50/4 h	0.132 mg/l

- · Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

- May cause an allergic skin reaction.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity
- May cause cancer.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure.

· Aspiration hazard Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.

(Contd. on page 8)

GB



Printing date 22.03.2023

Safety data sheet according to 1907/2006/EC, Article 31

Version number 5 (replaces version 4)

Trade name: Wilaplat Hartglanzvergoldung gelb cyanidhaltig 1g Au/l, Wilaplat Hartglanzvergoldung rötlich, cyanidhaltig 1g Au/l WILAPLAT hard bright gold plating bath yellow gold (making-up salt), WILAPLAT hard

bright gold plating bath reddish gold (making-up sait), will

(Contd. of page 7)

- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:
- Also poisonous for fish and plankton in water bodies.
- Very toxic for aquatic organisms

Water danger class 3 (German Regulation) (Self-assessment): extremely hazardous for water

- Do not allow product to reach ground water, water course or sewage system, even in small quantities.
- Danger to drinking water if even extremely small quantities leak into the ground.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must be specially treated adhering to official regulations. Contact manufacturer for recycling information.

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1588
· 14.2 UN proper shipping name	
ADR	1588 CYANIDES, INORGANIC, SOLID, N.O.S
	(POTASSIUM CYANIDE, potassium dicyanoaurate)
· IMDG	CYANIDES, INORGANIC, SOLID, N.O.S
	(POTASSIUM CYANIDE, potassium dicyanoaurate
ТАТА	MARINE POLLUTANT
IATA	CYANIDES, INORGANIC, SOLID, N.O.S (POTASSIUM CYANIDE, potassium dicyanoaurate)
14.3 Transport hazard class(es)	(,,,
ADR	
· Class	6.1 (T5) Toxic substances.



Printing date 22.03.2023 Version number 5 (replaces version 4)

Trade name: Wilaplat Hartglanzvergoldung gelb cyanidhaltig 1g Au/l, Wilaplat Hartglanzvergoldung rötlich, cyanidhaltig 1g Au/l WILAPLAT hard bright gold plating bath yellow gold (making-up salt), WILAPLAT hard bright gold plating bath reddish gold (making-up salt),

	(Contd. of page
· Label	6.1
·IMDG	
· Class	6.1 Toxic substances.
·Label	6.1
·IATA	
· Class	6.1 Toxic substances.
·Label	6.1
· 14.4 Packing group · ADR, IMDG, IATA	II
· 14.5 Environmental hazards:	
· Marine pollutant:	Yes
	Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Toxic substances.
· Hazard identification number (Kemler code):	60
• EMS Number:	F-A,S-A
· Segregation groups	Cyanides
• 14.7 Maritime transport in bulk according to IM instruments	O Not applicable.
· UN "Model Regulation":	UN1588, CYANIDES, INORGANIC, SOLID, N.O.S 6.1, II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- \cdot Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category
- H1 ACUTE TOXIC
- E1 Hazardous to the Aquatic Environment
- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 5 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 20 t
- · National regulations:

• Technical instructions (air):

Class	Share in %
Ι	0.4
III	4.7

(Contd. on page 10)

GB -



Version number 5 (replaces version 4)

Printing date 22.03.2023

Trade name: Wilaplat Hartglanzvergoldung gelb cyanidhaltig 1g Au/l, Wilaplat Hartglanzvergoldung rötlich, cyanidhaltig 1g Au/l

WILAPLAT hard bright gold plating bath yellow gold (making-up salt), WILAPLAT hard bright gold plating bath reddish gold (making-up salt),

(Contd. of page 9)

· Waterhazard class: Water danger class 3 (Self-assessment): extremely hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H260 In contact with water releases flammable gases which may ignite spontaneously.
- H290 May be corrosive to metals.
- H300 Fatal if swallowed.
- H301 Toxic if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H350 May cause cancer.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- EUH029 Contact with water liberates toxic gas.
- EUH032 Contact with acids liberates very toxic gas.
- · Abbreviations and acronyms:
- RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
- IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
- ICAO: International Civil Aviation Organisation
- ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)
- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IMDG: International Maritime Code for Dangerous IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Water-react. 1: Substances and mixtures which in contact with water emit flammable gases Category 1
- Met. Corr.1: Corrosive to metals Category 1
- Acute Tox. 2: Acute toxicity Category 2
- Acute Tox. 3: Acute toxicity Category 3
- Acute Tox. 1: Acute toxicity Category 1
- Skin Corr. 1A: Skin corrosion/irritation Category 1A
- Skin Irrit. 2: Skin corrosion/irritation Category 2
- Eye Dam. 1: Serious eye damage/eye irritation Category 1
- Eye Irrit. 2: Serious eye damage/eye irritation Category 2
- Resp. Sens. 1: Respiratory sensitisation Category 1 Skin Sens. 1: Skin sensitisation – Category 1
- Carc. 1B: Carcinogenicity Category 1B
- STOT RE 1: Specific target organ toxicity (repeated exposure) Category 1
- Aquatic Acute 1: Hazardous to the aquatic environment acute aquatic hazard Category 1
- Aquatic Chronic 1: Hazardous to the aquatic environment long-term aquatic hazard Category 1
- * * Data compared to the previous version altered.