

Colour Gold Bath JE400-499

Revision date: 12.07.2019

Product code: 84

Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Colour Gold Bath JE400-499

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Plating agents and metal surface treating agents

1.3. Details of the supplier of the safety data sheet

Company name:	Jentner Plating Technology GmbH	
Street:	Johann-Staib-Strasse 2	
Place:	D-75179 Pforzheim	
Telephone:	+49 (0)7231 418094 0	Telefax: +49 (0)7231 418094 77
e-mail:	info@jentner.de	
Contact person:	Department of Chemistry	
Internet:	www.jentner.de	
Responsible Department:	Poison Information Center of the University of Freiburg.	

1.4. Emergency telephone number:

0049 (0)761 19240 - 24 h german and english

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Acute toxicity: Acute Tox. 4

Acute toxicity: Acute Tox. 4

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Harmful if swallowed.

Harmful in contact with skin.

Causes skin irritation.

Causes serious eye irritation.

Harmful to aquatic life with long lasting effects.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

potassium hydroxide; caustic potash

salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex

Signal word: Warning**Pictograms:****Hazard statements**

H302+H312 Harmful if swallowed or in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Colour Gold Bath JE400-499

Revision date: 12.07.2019

Product code: 84

Page 2 of 7

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P270 Do not eat, drink or smoke when using this product.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
 P330 Rinse mouth.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P312 Call a POISON CENTER/doctor if you feel unwell.
 P362+P364 Take off contaminated clothing and wash it before reuse.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice/attention.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
1310-58-3	potassium hydroxide; caustic potash			1 %
	215-181-3	019-002-00-8		
	Acute Tox. 4, Skin Corr. 1A; H302 H314			
-	salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex			max. 0,3%
	-	006-007-00-5		
	Acute Tox. 2, Acute Tox. 1, Acute Tox. 2, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H300 H400 H410 EUH032			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

In case of inhaling spray mist, consult a doctor immediately and show him packing or label.

After contact with skin

After contact with skin, wash immediately with: Water and soap.

In case of skin irritation, seek medical treatment.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Seek medical advice immediately.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

Colour Gold Bath JE400-499

Revision date: 12.07.2019

Product code: 84

Page 3 of 7

5.1. Extinguishing media**Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings. Extinguishing powder. Water spray. Carbon dioxide (CO₂). Dry extinguishing powder.

5.2. Special hazards arising from the substance or mixture

No information available.

5.3. Advice for firefighters

Use appropriate respiratory protection.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Wear personal protection equipment. Remove persons to safety.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Provide adequate ventilation. Retain contaminated washing water and dispose it. Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Personal protection equipment: see section 8

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

General Precautions for safe handling of chemicals.

Advice on protection against fire and explosion

The product itself does not burn.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Keep locked up and out of the reach of children.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
1310-58-3	Potassium hydroxide	-	2		STEL (15 min)	WEL

8.2. Exposure controls**Protective and hygiene measures**

Do not eat, drink, smoke or sneeze at the workplace.

Keep away from food, drink and animal feedingstuffs.

Colour Gold Bath JE400-499

Revision date: 12.07.2019

Product code: 84

Page 4 of 7

Eye/face protection

Eye glasses with side protection

Hand protection

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid	
Colour:	clear, whitish	
Odour:	odourless	
pH-Value (at 20 °C):		10,5 - 11,5

Changes in the physical state

Initial boiling point and boiling range:		98 °C
Sublimation point:		not determined
Flash point:		not applicable

Explosive properties

not explosive.

Lower explosion limits:		not applicable
Upper explosion limits:		

Oxidizing properties

Not oxidising.

Vapour pressure:		not determined
Density (at 20 °C):		1,05 g/cm ³
Water solubility:		easily soluble

Solubility in other solvents

No data available

Partition coefficient:		not determined
Viscosity / dynamic:		not determined
Viscosity / kinematic:		not determined
Flow time:		not determined
Vapour density:		not determined
Solvent separation test:		not applicable

SECTION 10: Stability and reactivity**10.2. Chemical stability**

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.4. Conditions to avoid

No decomposition if used as directed.

10.5. Incompatible materials

Acid.

Colour Gold Bath JE400-499

Revision date: 12.07.2019

Product code: 84

Page 5 of 7

10.6. Hazardous decomposition products

Hydrocyanic acid (hydrocyanic acid).
Gas/vapours, harmful.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute toxicity**

Harmful if swallowed or in contact with skin.

ATEmix calculated

ATE (oral) 1612,9 mg/kg; ATE (dermal) 1666,7 mg/kg

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1310-58-3	potassium hydroxide; caustic potash				
	oral	LD50 273 mg/kg	Rat	RTECS	
-	salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex				
	oral	ATE 5 mg/kg			
	dermal	ATE 5 mg/kg			
	inhalation vapour	ATE 0,5 mg/l			
	inhalation aerosol	ATE 0,05 mg/l			

Irritation and corrosivity

Causes serious eye irritation.
Causes skin irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

No information available.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information**12.1. Toxicity**

Toxic to aquatic organisms.

The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3).

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
1310-58-3	potassium hydroxide; caustic potash					
	Acute fish toxicity	LC50 80 mg/l	96 h	Gambusia affinis	IUCLID	

12.2. Persistence and degradability

No information available.

Colour Gold Bath JE400-499

Revision date: 12.07.2019

Product code: 84

Page 6 of 7

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Consult supplier about waste disposal.

Waste disposal number of used product

110112 WASTES FROM CHEMICAL SURFACE TREATMENT AND COATING OF METALS AND OTHER MATERIALS; NON-FERROUS HYDRO-METALLURGY; wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphating, alkaline degreasing, anodising); aqueous rinsing liquids other than those mentioned in 11 01 11

Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning.
For cleaning up : Water (with cleaning agent)

SECTION 14: Transport information

Land transport (ADR/RID)

14.2. UN proper shipping name: Not a hazardous material with respect to these transportation regulations.

Inland waterways transport (ADN)

14.2. UN proper shipping name: Not a hazardous material with respect to these transportation regulations.

Marine transport (IMDG)

14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.

Air transport (ICAO-TI/IATA-DGR)

14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Water contaminating class (D): 2 - clearly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Colour Gold Bath JE400-499

Revision date: 12.07.2019

Product code: 84

Page 7 of 7

This data sheet contains changes from the previous version in section(s): 1,2,4,5,6,7,8,9,10,11,12,13,15,16.

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Acute Tox. 4; H312	Calculation method
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H300	Fatal if swallowed.
H302	Harmful if swallowed.
H302+H312	Harmful if swallowed or in contact with skin.
H310	Fatal in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH032	Contact with acids liberates very toxic gas.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)